


ITEM	QTY	P/N	DESCRIPTION
	X	D5393-041	STRUT ASSEMBLY
1	2	D2690-6	LANYARD ASSEMBLY
2	1	D5393-043	STRUT WELDMENT
3	2	AN3C3A	BOLT
4	2	AN665-34R	THREADED CLEVIS
5	2	MS17984-C405	PIN, QUICK RELEASE
6	2	MS21043-3	NUT, SELF-LOCKING
7	2	MS21919WCF8	CLAMP
8	4	NAS1149C0332R	WASHER
9	2	NAS509-4C	NUT, JAM

B


B



DETAIL A
2 PL

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 0.75 lbs
- 8) HAND TIGHTEN NAS509-4C NUT
- 9) USE TECTYL 502C CLASS I, MIL-PRF-16173E GRADE 2 OR EQUIVALENT ANTI-SEIZE COMPOUND ON THREAD



D5393-041 STRUT ASSEMBLY B

RELEASED
2017-02-10
ECN 17-522
522
on

APPROVED

B	SHEET 1: ITEMS 4 & 9 WERE IN -043. REMOVE TORQUE NOTE (TORQUE TO BE APPLIED ON INSTALL). SHEET 2 HAND TIGHTEN NOTE FOR NUT MOVED TO SHEET 1. SHEET 3: 19.90 DIM WAS 20.40. SHEET 4 ADDED -3. REASON: NCR16-6129			AJS	16.12.19
A	NEW ISSUE			RF	16.01.27
REV.	DESCRIPTION			BY	DATE
DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA			
DRAWN	NO				
CHECKED	AJS	DRAWING NO.	REV. B		
MFG. APPR.	DD	D5393	SHEET 1 OF 4		
APPROVED	WM	TITLE	SCALE		
DE APPR.	DS	STRUT ASSEMBLY	NTS		
DATE	16.12.19	COPYRIGHT © 2016 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

ITEM	QTY -043	P/N	DESCRIPTION
	X	D5393-043	STRUT WELDMENT
1	1	D5393-1	STRUT
2	2	D5393-3	STUD

